



GROUP 01—FRAME AND BUMPER

FRAME ASSEMBLY

FIG. 01-1	R-100, R-110, R-120, R-130 SERIES
FIG. 01-2	R-150 SERIES
FIG. 01-3	R-160, R-164, R-165
FIG. 01-4	R-163
FIG. 01-5	RC-160 SERIES
FIG. 01-6	R-140-4x4, R-160-4x4 SERIES

REAR BUMPER

FIG. 01-7	R-100, R-110, R-120, R-130 SERIES, W/PANEL BODY CODES 1610, 1618, TRAVELALL BODY CODES 1616, 1617, 1619, PICK-UP BODY CODES 1650, 1651, STAKE BODY
-----------	--

TIRE CARRIER

FIG. 01-8	UNDERSLUNG (CODE 0121) (TUBULAR TYPE) R-110, R-120, R-130 SERIES
FIG. 01-9	UNDERSLUNG (CODE 0121) (BAR TYPE) W/PICK-UP BODY CODE 1650, TRAVELALL BODY CODE 1616 R-100, R-110, R-120 SERIES R-130 SERIES W/115, 122" W.B.
FIG. 01-10	UNDERSLUNG (CODE 0121) (BAR TYPE) R-140-4x4, R-150, R-160, R-160-4x4, RC-160 SERIES
FIG. 01-11	UNDERSLUNG (CODE 0121) (BAR TYPE) R-130 SERIES W/134" W.B.
FIG. 01-12	LOCK (CODE 0124) FOR UNDERSLUNG, BAR TYPE CARRIER
FIG. 01-13	UNDERSLUNG (CODE 0122) R-160 SERIES
FIG. 01-14	SIDE MOUNTED (CODE 0130) R-110, R-120, R-130 SERIES

TOWING HOOKS AND EYES

FIG. 01-15	FRONT TOW HOOKS (CODE 0114) R-140-4x4, R-150, R-160, RC-160 SERIES
FIG. 01-16	REAR TOWING EYE (CODE 0111) R-140-4x4, R-150, R-160, RC-160 SERIES

MT-97 Rev. No. 2, 7/56

GROUP 01—FRAME AND BUMPER




FIG. 01-1 — FRAME ASSEMBLY
(R-100, R-110, R-120, R-130 Series)

KEY	DESCRIPTION	NO. REQ'D	1 H PART NUMBER
	FRAME, ASM.		
	R-100 SERIES		
	FOR 115" W.B.		
	W/O AUTOMATIC TRANS.		72 298 R91
	W/AUTOMATIC TRANS.		130 349 R91
	R-110 SERIES		
	FOR 115" W.B.		
	W/O AUTOMATIC TRANS.		72 298 R91
	W/AUTOMATIC TRANS.		130 349 R91
	FOR 127" W.B.		
	W/O AUTOMATIC TRANS.		72 300 R91
	W/AUTOMATIC TRANS.		130 350 R91
	R-120 SERIES		
	FOR 115" W.B.		
	W/O AUTOMATIC TRANS.		72 302 R91
	W/AUTOMATIC TRANS.		130 351 R91
	FOR 127" W.B.		
	W/O AUTOMATIC TRANS.		72 304 R91
	W/AUTOMATIC TRANS.		130 352 R91
	R-130 SERIES		
	FOR 115" W.B.		82 864 R91
	FOR 122" W.B.		
	W/O AUTOMATIC TRANS.		133 993 R91
	W/AUTOMATIC TRANS.		130 353 R91
	FOR 134" W.B.		
	W/O AUTOMATIC TRANS.		82 866 R91
	W/AUTOMATIC TRANS.		130 354 R91

PRINTED IN UNITED STATES OF AMERICA




GROUP 01—FRAME AND BUMPER

PRINTED IN UNITED STATES OF AMERICA

MT-97 Rev. No. 2, 7/56

GROUP 01—FRAME AND BUMPER



A-37672 A


FIG. 01-2 — FRAME ASSEMBLY
(R-150 Series)

KEY	DESCRIPTION	NO. REQ'D	I H PART NUMBER
	FRAME, ASM.		
	130" W.B.		82 538 R91
	142" W.B.		82 540 R91
	R-150 WITH 154" W.B.		82 542 R91
	R-153 WITH 154" W.B.		92 421 R92
	172" W.B.		82 996 R91
1	BUMPER	1	93 529 R2
2	GUSSET	2	79 284 R1
3	BRACKET (SEE GROUP 03)		
4	CROSSMEMBER	1	73 864 R1
5	CROSSMEMBER	1	73 865 R1
6	CROSSMEMBER	1	82 536 R2
7	CROSSMEMBER	1	96 270 HA
8	CROSSMEMBER	1	98 305 HA
9	CROSSMEMBER (172" W.B.)	1	98 305 HA
10	SIDEMEMBER (ORDER BY DESCRIPTION)		
11	GUSSET	2	82 535 R1
12	GUSSET	2	82 534 R1
13	GUSSET	1	98 611 HA
14	GUSSET	1	98 610 HA
15	CROSSMEMBER (154" W.B.)	1	75 219 R2

PRINTED IN UNITED STATES OF AMERICA

MT-97 Rev. No. 2, 7/56

GROUP 01—FRAME AND BUMPER

FIG. 01-3 — FRAME ASSEMBLY
(R-160, R-164, R-165)

KEY	DESCRIPTION	NO. REQ'D	I H PART NUMBER
	FRAME, ASM.		
	R-160		
	FOR 130" W.B.		
	W/O REINF.		73 879 R9I
	W/REINF., CODE 0101		73 895 R9I
	FOR 142" W.B.		
	W/O REINF.		73 880 R9I
	W/REINF., CODE 0102		73 896 R9I
	FOR 154" W.B.		
	W/O REINF.		73 877 R9I
	W/REINF., CODE 0103		73 903 R9I
	FOR 172" W.B.		
	W/O REINF.		73 878 R9I
	W/REINF., CODE 0104		73 904 R9I
	FOR 190" W.B. (W/REINF., CODE 0126)		99 630 R9I
	FOR 208" W.B. (W/REINF., CODE 0129)		99 632 R9I
	R-164		
	FOR 130" W.B. (W/REINF., CODE 0101)		73 895 R9I
	FOR 142" W.B. (W/REINF., CODE 0102)		73 896 R9I
	FOR 154" W.B. (W/REINF., CODE 0103)		73 903 R9I
	FOR 172" W.B. (W/REINF., CODE 0104)		73 904 R9I
	R-165		
	FOR 130" W.B.		
	W/O REINF.		73 879 R9I
	W/REINF., CODE 0101		73 895 R9I
	FOR 142" W.B.		
	W/O REINF.		73 880 R9I
	W/REINF., CODE 0102		73 896 R9I

PRINTED IN UNITED STATES OF AMERICA

MT-97 Rev. No. 2, 7/56


GROUP 01—FRAME AND BUMPER

[illegible]

PRINTED IN UNITED STATES OF AMERICA

MT-97 Rev. No. 2, 7/56

GROUP 01—FRAME AND BUMPER

FIG. 01-4 — FRAME ASSEMBLY
(R-163)

KEY	DESCRIPTION	NO. REQ'D	I H PART NUMBER
	FRAME, ASM.		
	FOR 172" W.B. (w/o REINF.)		82 273 R9I
	FOR 190" W.B.		
	W/O REINF.		82 275 R9I
	W/REINF., CODE 0126		99 630 R9I
	FOR 208" W.B.		
	W/O REINF.		96 237 R9I
	W/REINF., CODE 0129		114 057 R9I
1	BUMPER	1	93 529 R2
2	GUSSET	2	79 284 R1
3	BRACKET (SEE GROUP 03)		
4	CROSSMEMBER	1	73 864 R1
5	REINFORCEMENT		
	LT. (172" W.B.)	1	92 136 R1
	RT. (172" W.B.)	1	92 137 R1
	LT. (190" W.B.)	1	99 595 R1
	RT. (190" W.B.)	1	99 596 R1
	LT. (208" W.B.)	1	114 052 R1
	RT. (208" W.B.)	1	114 053 R1
6	CROSSMEMBER	1	73 865 R1
7	CROSSMEMBER		
	190" W.B.	1	77 812 R1
	208" W.B.	1	74 772 R1
8	CROSSMEMBER		
	172, 190" W.B.	1	82 112 R1
	208" W.B.	1	77 813 R1
9	CROSSMEMBER		
	172, 190" W.B.	1	96 270 HA
	208" W.B.	1	82 067 R9I


PRINTED IN UNITED STATES OF AMERICA

MT-97 Rev. No. 2, 7/56

GROUP 01—FRAME AND BUMPER



KEY	DESCRIPTION	NO. REQ'D	I H PART NUMBER
FIG. 01-4 — FRAME ASSEMBLY - Continued			
10	CROSSMEMBER	1	75 220 R1
11	CROSSMEMBER (190, 208" W.B.)	1	75 220 R1
12	SIDEMEMBER (ORDER BY DESCRIPTION)		
13	GUSSET	2	75 223 R1
14	GUSSET	2	75 222 R1
15	GUSSET	1	98 611 HA
16	GUSSET	1	98 610 HA

FIG. 01-5 — FRAME ASSEMBLY
(RC-160 Series)

KEY	DESCRIPTION	NO. REQ'D	I H PART NUMBER
	FRAME, ASM.		
	FOR 106" W.B.		
	W/O REINF.		84 532 R91
	W/REINF., CODE 0118		88 229 R91
	FOR 130" W.B.		
	W/O REINF.		84 533 R91
	W/REINF., CODE 0101		88 230 R91
	FOR 142" W.B.		
	W/O REINF.		84 534 R91
	W/REINF., CODE 0102		88 231 R91
	FOR 154" W.B.		
	W/O REINF.		84 535 R91
	W/REINF., CODE 0103		88 232 R91
	FOR 172" W.B.		
	W/O REINF.		84 536 R91
	W/REINF., CODE 0104		88 233 R91

PRINTED IN UNITED STATES OF AMERICA



GROUP 01—FRAME AND BUMPER

KEY	DESCRIPTION	NO. REQ'D	I H PART NUMBER
FIG. 01-5 -- FRAME ASSEMBLY - Continued			
1	BUMPER	1	93 529 R2
2	GUSSET	2	79 284 R1
3	BRACKET (SEE GROUP 03)		
4	CROSSMEMBER	1	73 864 R1
5	REINFORCEMENT		
	LT. (106" W.B.)	1	87 955 R1
	RT. (106" W.B.)	1	87 956 R1
	LT. (130, 142" W.B.)	1	73 871 R1
	RT. (130, 142" W.B.)	1	73 872 R1
	LT. (154" W.B.)	1	87 951 R1
	RT. (154" W.B.)	1	87 952 R1
	LT. (172" W.B.)	1	111 604 R1
	RT. (172" W.B.)	1	111 605 R1
6	CROSSMEMBER	1	73 865 R1
7	CROSSMEMBER		
	106" W.B. ONLY	1	96 270 HA
	130, 142, 154, 172" W.B.	1	73 199 R2
8	CROSSMEMBER	1	96 270 HA
9	CROSSMEMBER	1	75 220 R1
10	SIDEMEMBER (ORDER BY DESCRIPTION)		
11	GUSSET	2	75 223 R1
12	GUSSET	2	75 222 R1
13	GUSSET (106" W.B.)	2	75 223 R1
14	GUSSET (106" W.B.)	2	75 222 R1
15	GUSSET	1	98 611 HA
16	GUSSET	1	98 610 HA
17	PLATE (130, 142" W.B. ONLY) (CODE 0139)	2	94 368 R1
18	EXTENSION, 30-3/16" LONG (130, 142" W.B. ONLY) (CODE 0139)	2	95 498 R1
19	CROSSMEMBER (130, 142" W.B. ONLY) (CODE 0139)	1	95 880 H


MT-97 Rev. No. 2, 7/56

MEMORANDA



MT-97 Rev. No. 2, 7/56

GROUP 01—FRAME AND BUMPER



A-37676 A

FIG. 01-6 — FRAME ASSEMBLY
(R-140-4x4, R-160-4x4 Series)

KEY	DESCRIPTION	WHEELBASE				SERIES	W/O WINCH	W/ WINCH CODE			I H PART NUMBER
		130"	142"	154"	172"			5375	6602	6604	
						R-140-4 X 4	R-160-4 X 4				
	FRAME, ASM.										
	W/O REINF.	X				X		X	X	X	124 620 R9I
			X			X		X	X	X	124 622 R9I
				X		X	X	X	X	X	124 624 R9I
					X	X	X	X	X	X	124 626 R9I
	W/REINF.										
	CODE 0101	X				X		X	X	X	125 485 R9I
	CODE 0102		X			X		X	X	X	125 487 R9I
	CODE 0103			X		X	X	X	X	X	125 638 R9I
	CODE 0104				X	X	X	X	X	X	125 640 R9I
I	BUMPER										
		X	X	X	X	X	X				93 529 R2
		X	X	X	X	X	X		X	X	125 383 R1
	ANGLE	X	X	X	X	X	X		X	X	125 377 R1

PRINTED IN UNITED STATES OF AMERICA

01-10A

MT-97 Rev. No. 2, 7/56

GROUP 01—FRAME AND BUMPER



KEY	DESCRIPTION	WHEELBASE				SERIES		W/O WINCH	W/ WINCH CODE			I H PART NUMBER
		130"	142"	154"	172"	R-140.4 X 4	R-160.4 X 4		5375	6602	6604	
FIG. 01-6 — FRAME ASSEMBLY - Continued												
2	GUSSET	X	X	X	X	X	X	X				79 284 RI
	LWR. LT.	X	X			X				X		125 379 RI
				X	X		X				X	124 724 RI
	LWR. RT.	X	X			X				X		125 380 RI
				X	X		X				X	124 725 RI
	UPR.	X	X			X				X		125 382 RI
				X	X		X				X	124 723 RI
	EXTENSION											
	LT.	X	X			X				X		122 911 RI
				X	X		X				X	122 913 RI
	RT.	X	X			X				X		122 912 RI
				X	X		X				X	122 914 RI
3	BRACKET (SEE GROUP 03)											
4	CROSSMEMBER	X	X	X	X	X	X	X	X	X	X	73 864 RI
5	CROSSMEMBER	X	X	X	X	X	X	X	X	X	X	73 865 RI
6	REINFORCEMENT											
	LT.	X				X		X	X	X		125 477 RI
			X			X		X	X	X		125 479 RI
				X			X	X	X		X	125 581 RI
					X		X	X	X		X	125 583 RI
	RT.	X				X		X	X	X		125 478 RI
			X			X		X	X	X		125 480 RI
				X			X	X	X		X	125 582 RI
					X		X	X	X		X	125 584 RI
7	CROSSMEMBER	X	X	X	X	X	X	X	X	X	X	129 518 RI
8	CROSSMEMBER			X	X		X	X	X		X	96 270 HA
9	CROSSMEMBER	X	X	X	X	X	X	X	X	X	X	96 270 HA
10	CROSSMEMBER	X	X	X	X	X	X	X	X	X	X	75 220 RI
11	SIDEMEMBER (ORDER BY DESCRIPTION)											
12	REINFORCEMENT	X	X	X	X	X	X	X	X	X	X	63 945 H
13	GUSSET	X	X	X	X	X	X	X	X	X	X	75 223 RI
14	GUSSET	X	X	X	X	X	X	X	X	X	X	75 222 RI
15	GUSSET			X	X		X	X	X	X	X	75 223 RI
16	GUSSET			X	X		X	X	X	X	X	75 222 RI
17	GUSSET	X	X	X	X	X	X	X	X	X	X	98 610 HA
18	GUSSET	X	X	X	X	X	X	X	X	X	X	98 611 HA
19	REINFORCEMENT											
				X	X		X	X	X		X	63 945 H
	W/O SHK/ABS.	X	X			X		X	X	X		63 945 H
	W/SHK/ABS.	X	X			X		X	X	X		129 514 RI
20	ROLLER	X	X	X	X	X	X			X	X	125 381 RI
21	BRACKET	X	X	X	X	X	X			X	X	125 378 RI
22	BOLT, HEX-HD.											
	3/8NF x 3"	X	X	X	X	X	X			X	X	182 741
	3/8NF x 1-1/4"	X	X	X	X	X	X			X	X	182 724
	NUT, HEX., 3/8NF	X	X	X	X	X	X			X	X	103 026
	WASHER, LK., 3/8", MED.	X	X	X	X	X	X			X	X	103 321

PRINTED IN UNITED STATES OF AMERICA



KEY	DESCRIPTION	WHEELBASE				SERIES		W/WINCH CODE			I H PART NUMBER	
		130"	142"	154"	172"	R-140-4 X 4	R-160-4 X 4	W/O WINCH	5375	6602		6604
FIG. 01-6 — FRAME ASSEMBLY - Continued												
23	LUBRICATOR, 1/8", 30°	X	X	X	X	X	X		X	X	109 353	
24	GUSSET (RHD ONLY)	X	X	X	X	X	X	X	X	X	98 611 HA	
25	GUSSET (LHD ONLY)	X	X	X	X	X	X	X	X	X	98 610 HA	
26	BUMPER	X	X	X	X	X	X	X			141 699 R91	
27	BOLT, HEX-HD.											
	1/2NF x 1-1/8"	X	X	X	X	X	X	X			182 775	
	1/2NF x 1-5/8"	X	X	X	X	X	X	X			182 779	
	NUT, HEX., 1/2NF	X	X	X	X	X	X	X			103 028	
	WASHER, LK., 1/2", MED.	X	X	X	X	X	X	X			103 323	
28	SUPPORT	X	X	X	X	X	X	X			141 703 R1	
29	PIN	X	X	X	X	X	X	X			141 706 R1	
	NUT, HEX., 3/4NC	X	X	X	X	X	X	X			220 081	
	WASHER, LK., 3/4", MED.	X	X	X	X	X	X	X			103 326	
30	ROLLER (LONG)	X	X	X	X	X	X	X			141 704 R1	
31	ROLLER (SHORT)	X	X	X	X	X	X	X			141 705 R1	
32	BOLT, HEX-HD., 1/2NF x 2-1/4"	X	X	X	X	X	X	X			182 783	
	NUT, HEX., 1/2NF	X	X	X	X	X	X	X			103 028	
	WASHER, LK., 1/2", MED.	X	X	X	X	X	X	X			103 323	
33	BOLT, HEX-HD., 1/2NF x 1-1/4"	X	X	X	X	X	X	X			182 776	
	NUT, HEX., 1/2NF	X	X	X	X	X	X	X			103 028	
	WASHER, LK., 1/2", MED.	X	X	X	X	X	X	X			103 323	
34	BOLT, HEX-HD., 1/2NF x 1-3/4"	X	X	X	X	X	X	X			182 780	
	NUT, HEX., 1/2NF	X	X	X	X	X	X	X			103 028	
	WASHER, LK., 1/2", MED.	X	X	X	X	X	X	X			103 323	
35	ANGLE	X	X	X	X	X	X	X			141 702 R1	
36	EXTENSION	X	X	X	X	X	X	X			141 700 R1	
37	ANGLE	X	X	X	X	X	X	X			141 701 R1	

MT-97 Rev. No. 2, 7/56

GROUP 01—FRAME AND BUMPER




FIG. 01-7 — REAR BUMPER


(R-100, R-110, R-120, R-130 Series) (For Panel Body, Codes 1610, 1618;
Travelall Body, Codes 1616, 1617, 1619; Pickup Body, Codes 1650, 1651, 1652; Stake Body)

KEY	DESCRIPTION	NO. REQ'D				I H PART NUMBER
		CODES				
		1610 1618	1616 1617 1619	1650 1651 1652	STAKE BODY	
1	BAR					
	PAINTED	1	1	1	1	95 462 RI
	CHROME (R-110, R-120 SERIES)	1	1	1	1	95 461 RI
2	BOLT	4	4	4	4	68 512 H
3	SUPPORT					
	FOR 115, 122" W.B.			2		92 860 RI
	FOR 115" W.B.	2	2			92 862 RI
	FOR 127" W.B.			2		92 863 RI
	FOR 127" W.B.				2	92 861 RI
	FOR 134" W.B.				2	92 860 RI
	FOR 134" W.B.			2		92 861 RI
4	SUPPORT					
	FOR 115, 122" W.B.			2		92 856 RI
	FOR 115" W.B.	2	2			92 858 RI
	FOR 127" W.B.			2		92 859 RI
	FOR 127" W.B.				2	92 857 RI
	FOR 134" W.B.				2	92 856 RI
	FOR 134" W.B.			2		92 857 RI
5	NUT, HEX., 1/2NF	4	4	4	4	103 028
6	WASHER, LK., 1/2", MED.	4	4	4	4	103 323
7	PLATE	2	2	2	2	92 824 RI
8	BOLT, HEX-HD., 1/2NF x 1-3/8"	4	4	4	4	182 778
9	NUT, HEX., 7/16NC	4	4	4	4	271 500
10	WASHER, LK., EXT., 7/16"	4	4	4	4	138 493
11	WASHER, FL., 7/16"	4	4	4	4	103 342

PRINTED IN UNITED STATES OF AMERICA

MT-97

GROUP 01—FRAME AND BUMPER



A-37677


FIG. 01-8 — TIRE CARRIER (Underslung, Code 0121) (Tubular Type)
(R-110, R-120 Series) (R-130 Series - With 115, 122" W.B.)

KEY	DESCRIPTION	NO. REQ'D	I H PART NUMBER
1	NUT, HEX., 1/2NF	1	61 290 VA
2	CLAMP	1	111 810 R1
3	HANGER (SEE NOTE "A")		
4	NUT, HEX., 1/2NF	1	103 028
5	BOLT		
	FOR 600 x 16, 650 x 16 PASSENGER TYPE TIRES	1	111 813 R1
	FOR 650 x 16, 700 x 16 TRUCK TYPE TIRES	1	111 814 R1
	FOR 750 x 16, 6 AND 8 PLY TIRES (R-120 SERIES)	1	106 928 R2
	FOR 750 x 16 TIRES (R-130 SERIES)	1	111 811 R1
	FOR 700 x 15 TRUCK TYPE TIRES (R-110, R-130 SERIES)	1	111 814 R1
6	BRACKET		
	R-110, R-120 SERIES	1	106 166 R1
	R-130 SERIES	1	108 475 R1
7	RIVET, RD-HD., 3/8 x 1"	2	12 055 R1
8	PIN, 1/2 x 3/4"	2	107 947 R1
9	PIN, COTTER, 3/16 x 1"	2	103 407
10	BRACKET	2	108 474 R1
	NOTE "A" - FOR REPLACEMENT ORDER UNDERSLUNG BAR TYPE TIRE CARRIER - CODE 0121 (FIG. 01-9)		

PRINTED IN UNITED STATES OF AMERICA

MT-97

GROUP 01-FRAME AND BUMPER



A-36589

FIG. 01-10 - TIRE CARRIER (Underslung, Code 0121) (Bar Type)
(R-140-4x4, R-150, R-160, R-160-4x4, RC-160)

KEY	DESCRIPTION	NO. REQ'D							I H PART NUMBER
		TIRE SIZE							
		700 x 17	750 x 17	825 x 17	650 x 20	700 x 20	750 x 20	825 x 20	
1	NUT, HEX., 5/8NF	2	2	2	2	2	2	2	103 030
2	ANGLE								
	R-150				1	1	1		95 109 HX
	R-160, R-164, RC-160				1	1	1	1	95 109 HX
	R-160 - 4 x 4						1	1	95 109 HX
	R-140 - 4 x 4	1							59 352 R11
	R-150	1	1	1					59 352 R11
	R-163				2	2	2	2	51 419 R91
3	BRACKET								
	NOT FOR R-163	2	2	2	2	2	2	2	95 111 H
	R-163 ONLY	2	2	2	2	2	2	2	51 038 R91

PRINTED IN UNITED STATES OF AMERICA





FIG. 01-11 — TIRE CARRIER (Underslung, Code 0121) (Bar Type)
(R-130 Series - With 134" W.B.)

KEY	DESCRIPTION	NO. REQ'D	I H PART NUMBER
1	BRACKET (FOR 700 x 17 TIRES)	1	82 980 R11
2	BAR		
	FOR 6.50 x 20, 700 x 20 TIRES	1	82 981 R11
	FOR 700 x 17 TIRES	1	82 982 R91
3	WASHER, PL., 11/16"	2	147 587
4	WASHER, LK., 5/8", MED.	2	103 325
5	PIN, COTTER, 1/8 x 1-1/4"	2	103 386
6	BOLT	2	82 977 R1
7	NUT	2	95 112 H
8	BRACKET	2	82 979 R1
9	BOLT, HEX-HD., 3/8NF x 1-3/4"	2	182 728
	NUT, HEX., 3/8NF	2	103 026
	WASHER, LK., 3/8", MED.	2	103 321
10	SPACER	2	141 579 H
11	BOLT, HEX-HD., 3/8NF x 7/8"	2	182 717
	NUT, HEX., 3/8NF	2	103 026
	WASHER, LK., 3/8", MED.	2	103 321

MT-97

GROUP 01—FRAME AND BUMPER



A-29013


FIG. 01-12 — TIRE CARRIER LOCK (Code 0124)
(For Underslung Bar Type Carriers)

KEY	DESCRIPTION	NO. REQ'D									I H PART NUMBER
		R-140 4 x 4	R-100	R-110	R-120	R-130	R-150	R-160	R-160 4 x 4	RC-160	
1	LOCK										44 496 H
2	NUT										2 066 Y
3	NOT SERVICED SEPARATELY										
4	PLATE, ASM.										123 871 R11
											109 823 H
5	HANGER, ASM.										
	R-100										123 872 R91
	R-110										123 872 R91
	R-120										124 467 R91
	R-130										124 467 R91
	R-140 - 4 x 4										
	FOR 750 x 20 TIRES										111 750 H
	FOR 825 x 20 TIRES										111 751 H
	R-150										
	FOR 650 x 20 TIRES										111 750 H
	FOR 700 x 17 TIRES										111 752 H
	FOR 700 x 20 TIRES										111 752 H
	FOR 750 x 17 TIRES										111 752 H
	FOR 750 x 20 TIRES										111 750 H
	FOR 825 x 17 TIRES										111 752 H
	R-160										
	FOR 650 x 20 TIRES										111 750 H
	FOR 700 x 20 TIRES										111 750 H
	FOR 750 x 20 TIRES										111 750 H
	FOR 825 x 20 TIRES										111 751 H
	R-160 - 4 x 4										
	FOR 750 x 20 TIRES										111 750 H
	FOR 825 x 20 TIRES										111 751 H
	RC-160										
	FOR 650 x 20 TIRES										111 750 H
	FOR 700 x 20 TIRES										111 750 H
	FOR 750 x 20 TIRES										111 750 H
	FOR 825 x 20 TIRES										111 751 H

PRINTED IN UNITED STATES OF AMERICA

MT-97

GROUP 01—FRAME AND BUMPER



A-34272

FIG. 01-13 — TIRE CARRIER (Underslung, Code 0122)
(R-160 Series)

KEY	DESCRIPTION	NO. REQ'D	I H PART NUMBER
1	BOLT, HEX-HD., 1/2NF x 1-1/4"	4	182 776
2	PLATE	1	61 571 HX
3	ANGLE	1	61 567 HB
4	WASHER, LK., 1/2", MED.	8	103 323
5	NUT, HEX., 1/2NF	8	103 028
6	BOLT		
	900 x 20 AND 1000 x 20 TIRES	2	85 706 R1
	1100 x 20 TIRES	2	85 707 R1
7	HANGER	1	61 572 H
8	BOLT, HEX-HD., 3/8NF x 1-1/4"	2	182 724
9	STOP, RIM	1	68 802 H
10	BOLT, HEX-HD., 1/2NF x 1-1/2"	4	182 778
11	NUT	2	1 594 VC
12	SPRING	2	26 936 H
13	WASHER, FL., 1/2"	2	118 777
14	NUT, HEX., 3/8NF	2	103 026
15	WASHER, LK., 3/8", MED.	2	103 321
16	LOCK, w/CHAIN, ASM.	1	125 038 H
(*)	CLAMP	2	93 373 R1
(*)	BOLT, 1/2NF x 4-1/2"	2	433 169
(*)	NUT, HEX., 1/2NF	2	103 028
(*)	WASHER, LK., 1/2", MED.	2	103 323
(*)	PARTS NOT ILLUSTRATED		

PRINTED IN UNITED STATES OF AMERICA




FIG. 01-14 — SPARE TIRE CARRIER (Side Mounted, Code 0130)
(R-100, R-110, R-120 Series)

[illegible]




FIG. 01-15 — FRONT TOW HOOKS (Code 0114)
(R-140-4x4, R-150, R-160, RC-160 Series)

[illegible]




FIG. 01-16 — TOWING EYE (Mounted On Standard Rear Crossmember) (Code 0111)

[illegible]